

Rabin / Capital Recovery Group



Pulp & Paper Mill Equipment Auction #2 Of the Former
Appvion Pulp & Paper Mill

100 Paper Mill Road
Roaring Spring
Pennsylvania
16673
United States

Paper Machine; Pulp Mill Equipment; Stainless Tanks, Mixers &
Pumps; Electric Motors, Transformers, Valves, & Spares; Plant
Support Equip.; And More!

Ends from Nov 17, 2021 10am ET (3pm GMT)

Lot	Description
2001	(4) MSA SCBA's with tank, harness, regulator, mask and case, also (2) extra tanks, (Location: pipe shop)
2002	(4) MSA SCBA's with tank, harness, regulator, mask and case, also (2) extra tanks, (Location: pipe shop)
2003	MSA SCBA tank, harness, regulator, mask, case with (2) extra tanks, air hoses and cart, (Location: pipe shop)
2004	Premier SBCA Cascade system including: Control, (3) HC-4500 air tanks, (4) sets of harnesses, tanks, regulators and air hoses, (Location: second floor office boiler house)
2005	Premier SBCA Cascade system including: Control, (3) HC-4500 air tanks, (2) sets of harnesses, tanks, regulators and air hoses, (Location: second floor office boiler house)
2006	(2) Stainless air cylinders, never used, (Location: shipping warehouse)
2007	Lot of (3) Avery Dennison label printers (located in reel storage area)
2008	Emveco model 200A electronic microgauge, (Location: main lab)
2009	(2) Mill Assist RO meters, (Location: main lab)
2010	Brookfield model LVDE115 DV-E Viscometer, (Location: main lab)
2011	Hagerty Technologies model 538 paper smoothness tester, (Location: main lab)
2012	Technidyne Porosity tester, (Location: main lab)
2013	Thwing-Albert frictional/peel tester, model 225-1, (Location: main lab)
2014	Thermolyne type 47900 electric furnace, 6" W X 5" T X 6" D, (Location: main lab)
2015	Fisher Scientific electric oven, 10" W X 11" T X 11" D, (Location: main lab)

2016	Lands Co model EA light, s/n 502, (Location: main lab)
2017	MK model 450 formation analyzer, with digital read out, s/n F1142
2018	Lot with Elemdorf tester, Rame-Hart Gonimeter, model 100-00 115
2019	IGT model A1-3 Rpotest BV, (Location: main lab)
2020	Gurley bending resistance tester, (Location: main lab)
2021	Technidyne model BNL-2 Opacimeter, (Location: main lab)
2022	Technidyne model BNL-3 Opacimeter, (Location: main lab)
2023	Technidyne model BNL-3 Opacimeter, (Location: main lab)
2024	Technidyne model BNL-3 Opacimeter, (Location: main lab)
2025	(2) Swintec model 7003 electric typewriters, (Location: main lab)
2026	Lot of assorted including: scale, testers, timers, weights, (Location: main lab)
2027	Technidyne Technibrite TB-1C brightness and color tester, (Location: pulp lab)
2028	Lot including: Mettler model LP16 stirrer, Fisher model S-400 stirrer, Sartorius model MA-45 moisture analyzer and (2) scales, (Location: pulp lab)
2029	Lot including: lab glassware, tubes, thermometers, hydrometers, (Location: pulp lab)
2030	Lot including: flasks, beakers, hydrometers, thermometers, tubing, sample jars, (located in closet behind pulp lab)
2031	Red Lake Imaging motion scope, includes camera, display monitor, tripod, Sony Video Walkman, light and case, (Location: brother Muzz office)
2032	Comutrac model Max4000 moisture analyzer, (Location: brother Muzz office)
2033	Sarorius model MA37-1 moisture analyzer, (Location: brother Muzz office)
2034	Sartorius model CP124S digital balance, (Location: brother Muzz office)
2035	Data Tech model PM-80moisture register, s/n 4D2100,
2036	(2) ACA ROQ model H1 roll harness testers, (Location: brother Muzz office)
2037	Mettler LJ16 moisture balance (Location: Brother Muzz office)

2038	Hanna Instruments H13222 PH/ORP/ISE meter (Location: Brother Muzz office)
2039	Belt Hog pulley alignment tool, (Location: brother Muzz office)
2040	Schmidt Proceq concrete test hammer, (Location: brother Muzz office)
2041	Lot including: 8" LED monitor, infrared thermometer, Cassiopeia pocket pc, Simco model FM300 electrostatic fieldmeter, Bosch laser distance calculator, Isotemp imeersion circulator, (Location: brother Muzz office)
2042	Lot including: digital depth gauge, magnetic bases, digital indicators, digital themometers, (Location: brother Muzz office)
2043	Lot of (4) Dezurik 304 stainless 3 in. gate valves, 150 CWP (Location: shipping warehouse)
2044	Lot of (2) Dezurik 316 stainless 4 in. gate valves, 150 CWP (Location: Loading Area)
2045	Rosemount JFE pure oxygen sensor transmitter (Location: shipping warehouse)
2046	MicroMotion 150S-S5 2 in. stainless mass flow sensor, s/n 34636 (Location: Finish Building)
2047	Lot of (3) Worchester actuator valves, (2) 2 in., and (1) 4 in. (Location: Finish Building)
2048	Lot of (7) Worchester stainless actuator valves, (3) 1 in., and (4) 1 1/2 in. (Location: Finish Building)
2049	Lot of (6) actuators (Location: Finish Building)
2050	Grundfos stainless 2 1/2 in. f345idql pump with 5 HP motor, s/n 0003 (Location: Finish Building)
2051	Lot of (16) assorted stainless ball valves (Location: Finish Building)
2052	Lot of (14) assorted stainless ball valves (Location: Finish Building)
2053	Lot of (14) pallets of stainless fittings, clamps, couplers, and flanges (Location: Finish Building)
2054	Lot of (3) pallets of assorted stainless braided flex hose (Location: Finish Building)
2055	Stainless flange, 24 VC 650 DL INT (Location: shipping warehouse)
2056	Lot of (2) pallets of bronze/brass flanges and sleeves (Location: Finish Building)
2057	Lot of (4) pallets of bronze/brass fittings (Location: Finish Building)
2058	Lot of (3) storage cabinets with contents (Location: Pump cage)
2059	Lot of (5) assorted Fisher valves (Location: Pipe shop)

2060	Lot of (4) valves, assorted types and sizes (Location: Pipe shop)
2061	Lot of (2) PCI actuators and valves (Location: Pipe shop)
2062	Lot of (12) actuators and valves, assorted types and sizes (Location: Pipe shop)
2063	Lot of Foxboro and Rosemont assorted sensors-(Location: Pipe shop)
2064	Lot of Misc: connectors, mounting brackets, regulators, thermometers, valves, etc. (Location: 496 shop)
2065	Metal 2 door cabinet with trays mounted inside-includes contents (Location: Inside Shop-496 Dock Area)
2066	Jamesbury 10 in. stainless pneumatic ball valve, 300 psi (Location: Off Site Warehouse)
2067	Dezurik 16 in. stainless pneumatic gate valve (Location: Off Site Warehouse)
2068	Lot of (5) crates with copper and stainless heat exchanger tube (Location: Next Bay Cage Area) (offsite warehouse)
2069	Siemens electric motor, 200 HP, 1,785 RPMs, 460 volt, 3 ph., B44TT frame (Location: Finish Building)
2070	Reliance Duty Master motor, 150 HP, 1,180 RPMs, 208 volt, 3 ph., 5003 frame (Location: Finish Building)
2071	Teco-Electric induction motor, 150 HP, 3,555 RPMs, 460 volt, 3 ph., 445 TS frame (Location: Finish Building)
2072	Reliance Duty Master A-C motor, 150 HP, 3,570 RPMs, 460 volt, 3ph., 445TS frame (Location: Finish Building)
2073	Reliance Duty Master A-C motor, 150 HP, 3,570 RPMs, 460 volt, 3ph., 445TS frame (Location: Finish Building)
2074	Toshiba electric motor, 125 HP, 1,770 RPMs, 230/460 volt, 3 ph., 444T frame (Location: Finish Building)
2075	Electric motor, 125 HP, 1,170 RPMs, 447T frame (Location: Finish Building)
2076	Reliance electric motor, 125 HP, 3,570 RPMs, 460 volt, 3 ph., 444TS frame (Location: Finish Building)
2077	Elektrim motor, 100 HP, 1,775 RPMs, 230/460 volt, 3 ph., 405TS frame (Location: Finish Building)
2078	U.S. Electric Motors electric motor, 100 HP, 1,780 RPMs, 230/460 volt, 3 ph., 404T frame (Location: Finish Building)
2079	General Electric induction motor, 100 HP, 1,760 RPMs, 220/440 volt, 3 ph., 504S frame (Location: Finish Building)
2080	Toshiba induction motor, 100 HP, 1,765 RPMs, 230/460 volt, 3 ph., 404T frame (Location: Finish Building)
2081	Westinghouse Life-Line A motor, 100 HP, 1,780 RPMs, 208-220/240 volt, 3 ph., 444US frame (Location: Finish Building)

2082	U.S. Electrical Uniclosed motor, 100 HP, 1,800 RPMs, 220/440 volt, 3 ph., 444US frame (Location: Finish Building)
2083	Louis-Allis Pacemaker motor, 100 HP, 3,550 RPMs, 230/460 volt, 3 ph., 365TS frame (Location: Finish Building)
2084	Westinghouse Life-Line T AC motor, 75 HP, 3,560 RPMs, 230/460 volt, 3 ph., 365T frame (Location: Finish Building)
2085	Reliance Duty Master A-C motor, 75 HP, 1,770 RPMs, 440 volt, 3 ph., 405U frame (Location: Finish Building)
2086	General Electric induction motor, 75 HP, 1,180 RPMs, 230/460 volt, 3 ph., 405TS frame (Location: Finish Building)
2087	Reliance Duty Master A-C motor, 75 HP, 1,775 RPMs, 440 volt, 3 ph., 405U frame (Location: Finish Building)
2088	Marathon electric motor, 100 HP 1,775 RPMs, 460 volt, 3 ph., 404T frame (Location: Finish Building)
2089	Pacemaker electric motor, 100/50 HP, 1770/885 RPMs, 460 volt, 3 ph., 444T frame (Location: Finish Building)
2090	Reliance Duty Master A-C motor, 75 HP, 1,775 RPMs, 208-220/440 volt, 3 ph., 405U frame (Location: Finish Building)
2091	General Electric induction motor, 75 HP, 1,765 RPMs, 220/440 volt, 3 ph., 445S frame (Location: Finish Building)
2092	Reliance induction motor, 75 HP, 1,775 RPMs, 440 volt, 3 ph., CB445-S frame (Location: Finish Building)
2093	Allis-Chalmers induction motor, 75 HP, 1,770 RPMs, 220/440 volt, 3 ph., 504S frame (Location: Finish Building)
2094	Westinghouse Life-Line A motor, 75 HP, 885 RPMs, 220/440 volt, 3 ph., 504UU frame (Location: Finish Building)
2095	Reliance Duty Master A-C motor XE Energy Efficient, 60 HP, 3,535 RPMs, 460 volt, 3 ph., 365TS frame
2096	2018 D B Santasalo type 3TKCV315 gear drive, ratio 22.8784, s/n ISE500268, 200 HP, (Location: shipping warehouse)
2097	Lot of (6) transformers, (4) .3 KVA, (1) 15 KVA, and (1) 37.4 KVA (Location: Finish Building)
2098	McGraw-Edison 27 KVA transformer, s/n 4424 (Location: Finish Building)
2099	Transformer, 70 KVA (Location: Finish Building)
2100	Uniclad 2000 KVA transformer, 3 ph., HV 22860, BIL .125 KV, LV 480 GRDY/277 BIL. 10 KV (Location: offsite warehouse)
2101	2001 Sterling dump truck, regular cab, CAT turbo model #3126 engine, AT, 77,645 miles, 18 ft x 7.5 ft. alum. Dump box, tandem axle dually, air brakes, VIN #2FZHATAK21AJ20358, Unit #102 - NO TITLE (Location: Upper woodyard)
2102	2005 GMC 1500 Sierra pickup truck, regular cab, 2WD, Vortec 4.8L V8 engine, AT, gas, 8 ft. box bed, VIN #1GTEC14V85Z900527, Unit #96 (Location: Upper Wood Yard)

2103	2005 GMC 1500 Sierra pickup truck, regular cab, 2WD, 4.8L V6 engine, AT, gas, 8 ft. box bed, VIN #1GTEC14VX5Z900531, Unit #97 (Location: Upper Wood Yard)
2104	Messeri CH 2-N track dumper, 503 hours, diesel, walk behind power track dumper (Location: pipe shop)
2105	1994 JLG 35 Electric manlift, 500 lb. cap., platform height 35 ft., hort. length 20 ft., 48 volt, s/n 1.3675E+14, Unit #223 (Location: Loading dock)
2106	Schreck 6000 lb capacity electric platform truck, model WHP, 24 volt, 28 in. rotating platform, s/n 14116, Unit #229, (Location: Finishing)
2107	CWF 20,000 lb capacity electric platform truck, model RLLP200, 24 volt, 2,230 hours, 60 in x 96 in. platford, no charger, s/n 11613, Unit #243 (Location: Offsite Warehouse)
2108	Rico 13,000 lb capacity electric platform truck, model PLW-130, 24 volt, 28 in rotating platform, s/n R10620, Unit #247 (Location: Finishing)
2109	HLT 12,000 lb capacity electric platform truck, model K12UW-TD 6-48, 24 volt, mast height 24 in., 48 in. x 28 in. platform with Hertner 24 volt charger, s/n K-6759, Unit #227 (Location: Off site)
2110	Yale 4000 lb capacity electric platform truck, model MW040LAN12C62760, 12 volt, 407 hours, 26 in. x 60 in. platform, electric truck, s/n 555940, Unit #241 (Location: Finishing)
2111	Portable Pump Trailer, consisting of Gorman Rupp 12x12 pump, m/n PA12A60-B-6068H, s/n 1497870, with 150 hp electric motor, IR 10 hp air compressor m/n 2545X10, s/n CBV585820, all mounted on Prime Sure 14' 2-axle trailer (Located Across boiler House)
2112	Yale 36 volt battery (Location: Forklift Battery Charger Station)
2113	GNB 36 volt battery (Location: Forklift Battery Charger Station)
2114	Deka 36 volt battery (Location: Forklift Battery Charger Station)
2115	Deka 36 volt battery (Location: Forklift Battery Charger Station)
2116	Deka 24 volt battery (Location: Forklift Battery Charger Station)
2117	Caterpillar Model 519 turret mounted log picker
2118	Barco 295ML turret mounted hydraulic log take-off picker, with Log-Pro operator control cab
2119	Lot of (18) boxes of Lancaster blades for chipper, (6) per box, 31 in. x 7 in. W (previously Lots 1355, 56, 57) (Location: basement stores)
2120	Lot of Metso chipper spare parts (contents of container only)
2120A	Storage container (located next to De-Barker System)

2121	30,000 Gallon 316ss bulk storage tank, 12 ft dia x approx 36' high, single wall construction with front manway opening, and connecting pumps and pipework. Previously utilized for hydrogen peroxide storage, emptied and cleaned after mill shut down. (Location: Outside - ERCO)
2122	32,000 Gallon FRP storage tank, mfg by Belco and installed in 2020, 12 ft dia x approx 36 ft high, total cap of 32,787 gal. (Location: Outside - ERCO)
2123	32,000 Gallon FRP storage tank, mfg by Belco and installed in 2020, 12 ft dia x approx 36 ft high, total cap of 32,787 gal. (Location: Outside - ERCO)
2124	Activated carbon tank, stainless tank inside stainless shell, cone bottom, approximately 35' straight side, overall height 51' 6" x 12', rotary air lock, Arrison model 105XFF/2, s/n 06217-01 hopper wi
2125	Goulds model 3196 Titanium centrifugal pump, 1 1/2 X 1 1/2, 15 HP, s/n 743E159, (Location: Erco building, 1St floor)
2126	(2) Gould model 3196 Titanium centrifugal pumps, 2X3, s/n's 755E823.2 & 755E823.1, 25 HP, (Location: Erco building, 1st floor)
2127	Gould model 3196 Titanium centrifugal pump, 2X3, s/n A759F396, 20 HP, (Location: ERCO building, 1st floor)
2128	Gould model 3196 Alloy 20 centrifugal pump, 2X3, s/n 743E158, 30 HP, (Location: ERCO building, 1st floor)
2129	Gould model LF3196 316 stainless centrifugal pump, 1 X 1 1/2, s/n Q751F258, 30 HP, (Location: ERCO building, 1st floor)
2130	(2) 1999 US Filter model T941169-000 316 stainless canister filters, (Location: ERCO building, 1st floor)
2131	Warren 6 X 8 316 centrifugal pump with 125 HP drive (Location: Elev 530 Pulp Mill)
2132	Warren 8 X 6 X13 centrifugal pump with 60 HP drive (Location: Elev 530 Pulp Mill)
2133	Goulds 3 X 5 centrifugal pump with 50 HP drive (Location: Elev 530 Pulp Mill)
2134	Goulds 6 X 8 centrifugal pump with 100 HP drive (Location: Elev 530 Pulp Mill)
2135	Warren ss centrifugal pump set, 20 hp with connecting ss surge tank (Location: Elev 542 Pulp Mill)
2136	316 stainless steel dimple jacketed mixing tank with center top mount Lightning agitator, 2,278 Gal. ARO pneumatic diaphragm pump, stainless steel filter canister (Location: Elev. 496 Coating)
2137	316 stainless steel dimple jacketed mixing tank with center top mount Lightning agitator, 2,278 Gal. ARO pneumatic diaphragm pump, stainless steel filter canister (Location: Elev. 496 Coating)
2138	316 stainless steel dimple jacketed mixing tank with Lightning agitator, 5,000 Gal., stainless steel filter canister (Location: Elev. 496 Coating)
2139	Trial coating stainless steel storage tank #8, 1175 gal, 65" high, with top mount lightnin mixer, connecting diaphragm pump and ss cartridge filter (Location: Elev. 496 Coating)

2140	Lot of (8) Assorted stainless coating - dilution tanks, majority with prop style agitators, inclusive of connecting pumps, pipework and adjacent work platform (Location: Elev. 496 Coating)
2141	Superior CF Sheets Stainless storage tank, 5200 gal cap, 108" high, side bottom manhole opening and outlet (tank #4) (Location: Elev. 496 Coating)
2142	Lot of (3) CB Raw Emulsion stainless storage tanks, each 6875 gal cap, 116" high, side bottom agitators, manhole openings, and center bottom outlets (Tanks #1, 2 & 3) (Location: Elev. 496 Coating)
2143	Lot including (1) CB Emulsion Tank #5, 7200 gal, 120" high, side bottom Lightnin SPX agitator and (1) S/S 10,000 gal. tank, 110.5" high, carbonless capsule slurry tank, side mount agitation (tank #4) (Location: Elev. 496 Coating)
2144	Lot of (3) assorted Gould ss centrifugal pumps (Location: Elev. 496 Coating)
2145	Moyno progressive cavity pump with 15 HP drive (Location: Elev. 496 Coating)
2146	Lot of (4) pumps including: Warren 4-PH12 centrifugal pumps with 10 HP drives, and connecting 734 gal South Chilled Water ss tank and (2) Goulds 3 X 4-10H 316 stainless steel centrifugal pumps with 15 HP drives, and approx 1400 gal North Chilled Water ss tank (Location: Elev. 496 Coating)
2148	Top Coat-Front Coat ss storage tank, 4584 gal cap, side bottom manhole opening and discharge, with inspection platform (tank #6) (Location: Elev. 496 Coating)
2149	Lot of (2) Lobe Pro 316 stainless steel rotary positive displacement pumps with 15 HP drives (Location: Elev. 496 Coating)
2150	Lobe Pro 317 stainless steel rotary positive displacement pump model SR-6-246-LS, s/n 941397701, 3X3, with 15 HP drive (Location: Elev. 496 Coating)
2151	CF ABBE Lobe Pro stainless positive displacement pump with 15 HP drive (Location: Elev. 496 Coating)
2152	Sterling horizontal deaerator tank, domed ends, 16 ft. x 82 in. dia., year 1996, s/n 95-5324-located on second floor (Location: Boiler and Pumps)
2153	ABBE stainless steel jacketed mixing tank, 56 in. dia. X 88 in. H with bottom shear mixing blade, 100 HP drive (Location: Elev. 496 Coating)
2154	ABBE stainless steel jacketed mixing tank, 56 in. dia. X 88 in. H with bottom shear mixing blade, 100 HP drive (Location: Elev. 496 Coating)
2155	Lot of (4) Moyno progressive cavity pumps with 5 HP drives (Location: Elev. 496 Coating)
2156	Goulds 4 X 6 centrifugal pump with 20 HP drive (Location: Elev. 496 Coating)
2157	Goulds 10 X 10 spit case pump with 125 HP drive (Location: Elev. 496 PM Mezz)
2158	Goulds 8 X 10 316 stainless steel case centrifugal pump with 100 HP drive (Location: Elev. 496 PM Mezz)
2159	Goulds centrifugal pump set, 30 hp

2160	Goulds 4 X 6 centrifugal pump with 30 HP drive, and connecting supply tank (Location: Elev. 496 PM Mezz)
2161	304 stainless steel dimple jacketed mixing tank with Lightning mixer, 505 Gal. with Goulds 1.5 X 3 316 stainless steel case centrifugal pump, 5 HP drive, with Kamira ACE-400 Accosize emulsion mixer (Location: Elev. 496 PM Mezz)
2162	316 stainless steel single wall mixing tank, 72" dia. X 96" h. with side mount Lightning mixer, 10 HP drive (Location: Elev. 496 PM Mezz)
2163	36 in. dia. X 45 in. H 304 stainless steel jacketed mixing tank, 275 GAL. with Lightning mixer (Location: Elev. 512 Coating)
2164	(1), Lightnin jet type mixer, (Location: Elev. 512 Coating)
2166	Flexicon style dry ingredient inclined feed conveyor with connecting Triclover disperser style centrifugal pump set and scale platform with connecting controller (Location: Elev. 512 Coating)
2167	Gould model 3196 stainless centrifugal pump, 1X2, s/n Q754F424, 5HP, (Location: 512 coating)
2168	Set of (2) CB Makeup stainless tanks, 2300 gal, 96"high, Lightnin prop agitators, associated pumps and platform (Location: Elev. 512 Coating)
2169	Set of (2) Cato Slurry Make-up & Supply tanks, 1600 & 2000 gal capacities, 68" & 84" on straight walls, with connecting pumps and associated platform (Location: Elev. 512 Coating)
2170	Kady 500B stainless steel hot water jacketed bottom entry production mill with 200 HP drive (Location: lev. 512 Coating)
2171	Mobile tank scale (Location: Elev. 512 Coating)
2172	Goulds 1 X 2 centrifugal pump with 30 HP drive (Location: Lime Kiln Lower Level)
2173	Goulds 3 X 4 316 stainless steel case centrifugal pump with 40 HP drive (Location: Lime Kiln Lower Level)
2174	Goulds stainless 3 X 3 - 10 rotary water pump with 40 HP drive (Location: Lime Kiln Lower Level)
2175	Goulds stainless 3 X 3 - 10 rotary water pump with 50 HP drive (Location: Lime Kiln Lower Level)
2176	Master Flow Progressive cavity pump with 15 HP drive (Location: Lime Kiln Lower Level)
2177	Sutorbilt GAELPBA skid mount reverse air blower with 40 HP drive (Location: Lime Kiln Lower Level)
2178	Moyno 2E022G1CDQSAA progressive cavity pump with 7.5 HP motor, s/n AS2424598AH (Location: offsite warehouse)
2179	Moyno A2FCDQ3DPA progressive cavity pump with 3 HP motor, s/n AS2432799BG (Location: offsite warehouse)
2180	Moyno A2FCDY3DPC progressive cavity pump with 3 HP motor, s/n AS2432899BG (Location: offsite warehouse)

2181	Waukesha 2 1/2 in. stainless positive displacement pump (Location: Next Bay Cage Area) (offsite warehouse)
2182	Lot of (2) Honeywell 870020-012-1115 electro pneumatic 1/2 in. ball valves (Location: Off Site Warehouse)
2183	Lot of (2) Abbe stainless mixer blade (Location: Next Bay Cage Area) (offsite warehouse)
2184	Lot of (2) stainless heat exchanger, (1) APV, and (1) Alfa Laval (Location: Next Bay Cage Area) (offsite warehouse)
2185	Goulds 3135 10 x 4 x 14 centrifugal pump (Location: Next Bay Cage Area) (offsite warehouse)
2186	APV stainless plate heat exchanger (Location: Off Site Warehouse)
2187	Lot of (17) hydraulic motors (Location: Finish Building)
2188	Lot of (13) Radiant pumps and sight glasses (Location: Store Basement)
2189	Lot of (7) Goulds pumps, assorted sizes (Location: Basement Stores)
2190	Lot of (3) Goulds 3196 pumps, (1) 2 x 3 x 6, and (2) 3199 1 x 1.5 (Location: Basement Stores)
2191	Lot of assorted Waukesha pump parts on (2) pallets including impellers, gaskets, shafts
2192	Chicago assorted pump parts (Location: Basement Stores)
2193	KSB H3M 3/5 feed water pump, 360 GPM (Location: Basement Stores)
2194	Lot of (4) Centrifugal pumps including (2) 2 in. x 1 1/2 in., (1) 2 1/2 in. x 2 in., (1) 2 x 1 (Location: Basement)
2195	Lot of (6) diaphragm pumps (Location: Basement Stores)
2196	Moyno 2F065GICDL 3AAA cavity pump with cart (Location: Pump cage)
2197	PM-3 20,000 tons per year, 71" max. reel width, 87" wire width, 985 RPM max. reel speed, 35-135 basis weight per 3,300 sq. ft., dilution basis weight control, Voith head box with pulse elimination, MEC FAB stainless steel fourdriner with dandy roll change device, couch suction roll, 1rst press sectio ...[more]
2198	Bird Centriscreen pressure screen with 60 HP drive, s/n CNS480 (Location: under PM-3 Main)
2199	Gardner Denver Air Knife blower, s/n 791793X with 75 hp drive. (Location: PM-3 Lower)
2200	2011 Sulzer AP 32-3 centrifugal pump with 40 HP drive (Location: PM 3-ML-wet end)
2201	Sulzer 3 X 6 316 stainless steel centrifugal pump with 40 HP drive (Location: Under PM3)
2202	Goulds 3 X 4 - 13 316 stainless steel case centrifugal pump with 30 HP drive (Location: Under PM3)

2203	Goulds 3 X 4 - 13 316 stainless steel case centrifugal pump with 30 HP drive (Location: Under PM3)
2204	Lot of (4) pumps sets including (2) Goulds 1 X 1.5 316 ss pumps, and (2) pressure head pump sets
2205	Sulzer 3 X 5 centrifugal pump with 15 HP drive (Location: Under PM3)
2206	Starch make-up & filter system consisting of (4) 304 stainless steel cone bottom tanks, 24" dia x 36" on straight wall; connecting filter assemblies, pump sets, pipework and controls (Location: under PM-3)
2207	Andritz wet lap line. 80" Andritz belt press. With steel frame. Rated 150 ADTPD. With a typical dryness of 42% - 45% for this machine based on Kraft Pulp with a freeness of 600 CSF. Includes cutter and layboy (include Sweco Filter Lot 3013A) (Location: 512 dock area)
2208	Allis Chalmers 8' diameter X 150' rotary lime kiln
2208A	New debarker drum ring (Location: Next Bay Cage Area) (offsite warehouse)
2209	2017 Roots steam turbine drive centrifugal compressor model BYPHGPL3 with Bentley Nevada PLC controls (Location: Elev 530)
2210	Roots compressor rotor (Location: Next Bay Cage Area) (offsite warehouse)
2211	Automatic Handling Inc. end of line auto film roll handling, wrapping and palletizing system
2212	Konecranes 5 ton cap. Electric hoist with 11' Caldwell spreader bar, (Location: finishing warehouse)
2213	Automated reel storage and retrieval system (Location: Finish Warehouse)
2214	Finishing department pin sets and tubes (Location: Finish Warehouse)
2215	Valmet new, unused 38 in. refiner, still in crates (Location: Off Site Warehouse)
2216	Voith stainless basket screen, 1 1/2 in. - 13 UNC, C-BAR SE 0.30 CR08, 23 in. dia. X 22 in. H (Location: shipping warehouse)
2217	Voith stainless basket screen, 1 1/2 in. - 13 UNC, C-BAR SE 0.30 CR08, 23 in. dia. X 22 in. H (Location: shipping warehouse)
2218	Voith stainless screen, C-BAR SE 0.25 CR08, 3/8-16 UNC 2B, 17 1/2 in. dia. X 15 in. H (Location: shipping warehouse)
2219	Voith N321761 stainless screen basket and rotor, 0.20 MM, 10 in. dia. X 12 in. H (Location: Pump cage)
2220	Lot of (3) stainless baskets screens, and (1) rotor (Location: Elev 542 Pulp Mill)
2221	Sweed model 517.AG XHD scrap chopper, s/n 63685, (located behind loading docks)
2222	Ingersoll-Rand 1075-150 IR feedwater pump, 330 GPM, Type 2MHTA-8, 300 HP, 2,300 volt drive-Loc #3 Power Boiler (Location: Boiler and Pumps)

2223	Ingersoll-Rand IR feedwater pump, 330 GPM, steam turbine drive-Loc#3 Power Boiler (Location: Boiler and Pumps)
2224	HGM 3/5 feedwater pump, stainless steel construction, 300 HP, 2,300 volt drive-Loc #3 Recovery Boiler 4th FI (Location: Boiler and Pumps)
2226	Lot of Snap On cordless tools including (5) assorted impact wrenches, (3) chargers, and (6) batteries (Location: Pipe shop)
2227	Lot of (17) come-a-longs, assorted types & sizes (Location: pipe shop)
2228	Giant D3MRF2FX pressure washer, mobile, 460V (Location: Basement)
2229	Lot of (3) air circulators, (1) 53" mobile, (1) 24" mobile, (1) 24" pedestal (Location: Basement)
2230	Lot of (5) flatbed carts, (Location: Basement)
2231	Miller Legend gas powered CC/AC/DC 5,000 watt generator/welder - NO WELDING LEAD (Location: Pipe shop)
2232	Ruger mobile engine hoist, 1,000 lb. cap. (Location: Pipe shop)
2233	Lot of assorted alternators (Location: Pipe shop)
2234	Lot of assorted starters (Location: Pipe shop)
2235	Lot of Shop Bilt rack with truck springs (Location: Finishing buiding)
2236	Fork rack, 38 in. x 28 in. x 78 in. tall with tire rack (Location: Forklift Shop)
2237	Lot of (2) wall mounted metal shelving with assorted fittings, flanges, etc. (Location: Pipe Shop)
2238	Lot of Assorted power tools including electric, pneumatic and cordless (no batteries for DeWalt) (Location: pipe Shop)
2239	Lot including: (1) Giant B317REZFX pressure washer, s/n 003420, (2) assorted electric pressure washers (Location: pipe shop)
2240	Tubarcrane engine hoist, 1 ton cap. (Location: pipe shop)
2241	Airco 250 arc welder, s/n HE862507, (Location: pipe shop)
2242	Miller 250AC/DC-HF arc welder, (Location: pipe shop)
2243	Stud welder, (Location: pipe shop)
2244	Lot of misc. carts including: Oxy/acc, 4 wheeler, barrel hand truck, (4) assorted hand trucks, (Location: pipe shop)
2245	Lot of ladders: (2) extention and (2) step, (Location: pipe shop)

2246	single side cantalever rack, 8' uprights, 2' arms (Location: pipe shop)
2247	Lot (3) assorted LPG tank cages: (2) 4 bottle, (1) 6 bottle with side storage, (Location: pipe shop)
2248	Dura Heat kerosene forced air heater, 125,000 BTU, (Location: pipe shop)
2249	Lot including: assorted hand tools, wrenches, torque wrenches, parts trays, (Location: pipe shop)
2250	Lot (3) fans: (2) floor type, (1) pedestal, (Location: pipe shop)
2251	Lot includes: air impact, grinders, citcular saw, fitting tools, 8 ton gear puller, pipe wrenches, load tester, taps, clamps, sockets, (Location: pipe shop)
2252	Lot of (135) sections metal shelving (Location: Back of Stores Area)
2253	Lot of (50) totes, (located in lower Wood Yard)
2254	Lot of (8) rolls of stainless screen (Location: Store Basement)
2255	Lot of (14) paper machine rolls (Pump cage)
2256	Lot of (16) paper machine rolls (Pump cage)
2257	Washer trunion (Next Bay Cage Area) (offsite warehouse)
2258	Fisher 3601J relief valve, size 1, raing CL150, s/n 13167, (finishing building)
2259	2003 Multition EMB-62 walk behind electric forklift, s/n 0903014420203, 1000 lb. cap., 24 volt on board charger, 5' ht. lift cap.
2260	Solomon 2000 KVA transformer, 22900 V primary, 480 V secondary, total weight 16,125 lbs., s/n 191423
2261	General Electric 750 KVA transformer, 24,000 volts primary, 2,400 V secondary, total weight 5,610 lbs., s/n L245795
2262	Square D 2,0000 KVA transformer, 23,000 V primary, 480 V secondary, total weight 10,965 lbs.
2263	McGraw-Edison 2000 KVA transformer, 23,000 V primary, 2,300 V secondary, total weight 12,225 lbs., s/n C-45052-1-1
2264	2000 KVA (Estchate) transformer, total weight 12, 408 lbs. (no data plate)
2265	Solomon/MTC 2000 KVA transformer, complete rewind 8/2018, 22,900 V primary, 480 V secondary, total weight 10,100 lbs. s/n SCT 4201-0101
2266	Solomon 2000 KVA transformer, 22,900 V primary, 2,300 V secondary, total weight 12,200 lbs., s/n 20111873025
2267	McGraw-Edison 1500 KVA transformer, 23,000 V primary, 480 V secondary, total weight 9,025 lbs., s/n C45051-1-1

