



Ohio Printing & Metal Fabrication Auction Buyer's Guide

3540 E. Fulton Street
Columbus, OH 43227

Auction

Wednesday, May 6, 2026 – 10:00am, ET

Inspection

Tuesday, May 5, 2026
9:00am – 4:00pm

ONLINE ONLY

IMPORTANT INFORMATION

BUYER'S PREMIUM: Online buyers will be charged a 20% Buyer's Premium.

PAYMENT INFORMATION: Everything is being sold for cash on an "AS IS", "WHERE IS" basis without warranties expressed or implied. All payments must be made by **Wire Transfer, ACH Transfer, Cash, Money Order, Cashier's Check, or Company Check. Company checks are only acceptable if accompanied by a bank letter of guarantee.**

ALL INVOICES MUST BE PAID UPON RECEIPT: Any merchandise not paid for by this time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer.

SALES TAX: All sales subject to state and local sales tax of 8.00 % where applicable. Sales tax will be charged on the total purchase price of an item, which includes the Buyer's Premium. If tax exempt, buyer will be required to complete the tax-exempt form for the state that the auction is being held.

REMOVAL: All items must be removed by Friday May 22 by 4:00 pm, ET at which time our representative will leave the premises. All items remaining after this time **WILL BE** considered abandoned.

CHECKOUT/REMOVAL HOURS (WITH PAID IN FULL INVOICE):

Thursday, May 7 – Friday 5/22

Monday – Friday - 8:00 am - 4:00 pm

Weekends by appointment only

RIGGER:

General Graphics

John Tremblay

518-598-2531

john@gengraph.net

NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS! ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" COPIES, WHICH ARE ATTACHED TO THIS CATALOG, AS WELL AS THROUGHOUT THE PREMISES.

PPL GROUP LLC
105 Revere Drive, Suite C
Northbrook, IL 60062
224-927-5320
sales@pplauctions.com
www.pplauctions.com

PPL AUCTIONS – General Terms of Sale

NOTICE: all bidders and other persons attending auction sales agree that they have read and have full knowledge of these terms and agree to be bound thereby.

If you make a commitment to buy or your bid is the winning bid, or is otherwise accepted, you enter into a legally binding contract with the Auctioneer and are obligated to purchase the item.

Auctioneer reserves the right to reschedule, postpone or cancel an Auction prior to the scheduled start.

1. **REGISTRATION:** To register, login to the bidding platform indicated for the auction and search for the auction you wish to participate in (control + f). Once you locate the auction, click the “sign up” button. If you have registered in the past, enter your username and password. If you have never used the platform, click on the ‘register’ button. enter the required contact information and select a username and password and submit form. You will receive an email confirmation of your registration for the auction with your bidder paddle number. You will also receive an approval email from the auction house once approved. On the date of the auction, login to the platform with your username and password. You will be able to view a photo of each lot while listening to the live audio (if available). It is recommended that Bidders register 48 hours prior to the sale to avoid any issues that may occur.
2. **PAYMENT:** Items must be paid in full upon receipt of invoice. A Buyer’s Premium of 20% applies unless otherwise noted. Sales tax will be charged on the total purchase price of an item, which includes the Buyer’s Premium. The Buyer’s Premium may change with each individual auction. Always refer to the individual terms. All payments must be made by wire transfer, ACH transfer, cash, money order, cashier’s check, or company check. Company checks are only acceptable if accompanied by a bank letter of guarantee. No merchandise will be released until invoice is fully paid.
3. **TAXES:** Prices may not include any federal, state, or local taxes, which are in addition to the purchase price and must be paid by purchaser. Sales tax will be charged on the total purchase price of an item, which includes the Buyer’s Premium. Machinery and equipment used in the manufacturing or assembly of tangible personal property for wholesale or retail sale are exempt from tax in the state of Illinois, otherwise purchaser must furnish a tax exemption certificate, any sales, use, excise, or other similar tax, where applicable, shall also be the responsibility of purchaser and may, at the election of PPL, be added to the quoted purchase price and invoiced by PPL to purchaser. The failure of PPL to invoice such taxes does not excuse the purchaser from responsibility for paying same. When a sale is in a state other than the state of Illinois, there will be specific information relative to the sales tax rates and any exemption to the specific auction sale and will be posted with each individual auction sale in the Buyer’s Guide.
4. **REMOVAL:** Each auction will have specific information relative to the times of removal. All items must be off the premises by a specific time and date. Buyers of items remaining on premises after the specified date may be assessed a storage fee of up to \$100 per day, plus reasonable out-of-pocket expenses incurred by auctioneer to make item(s) available to be picked up after the specified date.
5. **LIABILITY:** Purchases may be removed only on presentation of paid bill. Removal shall be at the expense, risk and liability of the purchaser. Auctioneer shall not be responsible for goods not removed within the time allowed, but shall have the option to remove and store at the expense and risk of the purchaser any article purchased, but not paid for and removed within the time aforesaid. A certificate of insurance is required for all riggers and should be sent to PPL Group LLC before any removal is allowed. If you intend to do your own rigging and use any kind of powered/motorized equipment in the process, you must have a certificate of insurance. Contact PPL Group LLC for insurance requirements for specific auction. If you can move your purchases by hand or with a non-powered item, such as a cart, you do not need to present us with a certificate of insurance. PPL Group LLC is not a rigging company and therefore will not be able to help with any rigging.
6. **MANNER OF PAYMENT:** All checks for deposit and balances due shall be payable to the order of PPL Group LLC. All bills must be paid to representatives of the auctioneer at the facility unless otherwise announced. The full purchase price on all lots sold to the same buyer must be paid within the time fixed and before removal of any of the goods.
7. **ISSUANCE OF TITLE:** Titles relative to titled assets purchased will be mailed to the purchaser’s address on file after payment has been received and cleared.
8. **CONDITION OF ARTICLES SOLD:** Neither the auctioneer nor the seller shall be responsible for the correct description, genuineness, authenticity of, or defect in any lot, and makes no warranty in connection

therewith. No sale shall be set aside, nor allowance made on account of any incorrectness, error in cataloging, or any imperfection not noted. No deduction allowed on damaged articles, all articles being exposed for public exhibition, and sold "as is" and without recourse. Articles are not warranted as merchantable or fit for any particular purpose, and no claim may be made by purchaser relating to the condition or use of articles purchased or for proximate or consequential damages arising therefrom.

9. **SAFETY DEVICES:** Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is purchaser's responsibility that articles purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.
10. **INDEMNIFICATION:** Purchaser shall defend and indemnify and hold auctioneer and seller harmless from and against all claims and liabilities relating to the condition of, removal of, or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state, and local laws applicable to such articles, including OSHA requirements, and environmental protection agency requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.
11. **CLAIMS:** No claims will be allowed after removal of goods from premises or left on premises past allowed time limit.
12. **RESPONSIBILITY FOR NON-DELIVERY:** Neither the auctioneer nor the seller, in any event, shall be liable for non-delivery or for any other matter or thing, to any purchaser of any lot, other than for the return to the purchaser of the deposit or sum paid on said lot, should the purchaser be entitled thereto.
13. **COMPLIANCE WITH TERMS OF SALE:** In default of payment of bills in full within the time therein specified, the auctioneer in addition to all other remedies allowed by law may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of resale including legal fees, will be charged to the defaulting purchaser.
14. **RISK TO PERSON AND PROPERTY:** Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the auctioneer and seller from liability therefore. Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the sale is held.
15. **ADDITION TO OR WITHDRAWAL FROM SALE:** The auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of the seller will be served, the auctioneer reserves the right to sell all the property listed, in bulk.
16. **SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE:** When items are sold by estimated weight, count or measure, the purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any shortage exists, the purchaser will receive a refund at the rate of purchase. If there be an excess, the purchaser will be required to take and pay for such excess, at the rate of purchase. (see paragraph 4 for time and guarantee limitation.)
17. **DISPUTE BETWEEN BIDDERS:** If any dispute arises between two or more bidders, the auctioneer may decide the same or put the lot up for sale again at once, and resell to the highest bidder. The auctioneer's decision shall be final and absolute.
18. **RESERVE:** The auctioneer reserves the right to reject any and all bids on lots upon which there is a reserve. The auctioneer or his assigned agents, shall have the right to bid on behalf of the seller.
19. **RECORDS:** The record of sale kept by the auctioneer and bookkeeper will be taken as final in the event of any dispute.
20. **INDEPENDENT CONTRACTOR:** The auctioneer is acting as an independent contractor only and is not responsible for the acts of its principals or sellers.
21. **ADDITIONAL TERMS AND CONDITIONS:** The auctioneer may add other terms and conditions of sale, such additional terms and conditions to be announced prior to the auction and also posted with the specific auction.

****SOME LOTS MAY BE SOLD SUBJECT TO CONFIRMATION, PRIOR SALE AND/OR DELIVERY DATE. PLEASE CONTACT AUCTIONEER FOR MORE INFORMATION****

This catalogue on the following pages is meant merely as a guide. The auctioneer does not warrant the genuineness, accuracy or count of any items described herein.

Lot Number	Description
1	Dewalt DWE7491 Table Saw, S/N 007676, 10" Dia. Blade, 22" x 28" Table, Adjustable Fence, Folding Leg Base (LOCATED IN WOOD SHOP)
2	Central Machinery T34706 Geared Head Wood Lathe, S/N 011933, 12" Swing, 36" Center to Center, 600 to 2400-Spindle, Tailstock, Tool Post, Steady Rest, Set Up Gear (LOCATED IN WOOD SHOP)
3	Electric Thermano 601E Single Spindle Drill Press, S/N 5888, 17" Swing, 11" x 12" Adjustable Height Table, 190 to 8560-RPM Table (LOCATED IN WOOD SHOP)
4	Porter Cable PCB66000P Single Spindle Drill Press, S/N 017430, 14" Swing, 300 to 3100-RPM Spindle, 14" x 14" Adjustable Height Table (LOCATED IN WOOD SHOP)
5	Ridgid 8S14002 Vertical Band Saw, S/N AM073871964, 13" Throat, 14" x 14" Tilt Table, 6" Max. Thickness, 3/4-HP (LOCATED IN WOOD SHOP)
6	Delta 31-481 Flat Sander, S/N12C000015, 24" Max. Width, 3-HP, Dual Drum, Pass thru Belt Fed, Top Side Dust Exhaust (2012) (LOCATED IN WOOD SHOP)
7	Laguna MDC3560-014S Dust Collector, S/N771410163, 3-HP Cyclone Blower, 3-Port Side Mounted Vacuum Hose Port, Side Mounted Carriage Filter, 55-Gallon Collection Drum, All Mounted on Welded Steel Frame (2014) (LOCATED IN WOOD SHOP)
8	Porter Cable PCB420SA Belt/Disc Sander, S/N043022, 4" Vertical Belt, 8" Side Disc, Bench Top Unit (2012) (LOCATED IN WOOD SHOP)
9	Powermatic PM2800B Single Spindle Drill Press, S/N15031342, 18" Swing, 250 to 3000-RPM Spindle, 14" x 20" Adjustment Tilt Table (LOCATED IN METAL SHOP)
10	Powermatic 2000 Table Saw, S/N 10102000075, 10" Blade, 31" x 75" Table, Fence, Blade Guard (LOCATED IN METAL SHOP)
11	Dewalt DW715 Miter Saw, S/N 014193, 12" Dia. Blade, Mounted on Portable Stand (LOCATED IN METAL SHOP)
12	Central Machinery Single Spindle Drill Press 13" Swing, 220 to 3600-RPM Spindle, 12" Dia. Adjustable Height Table, S/N 1007130139 (LOCATED IN PLATE ROOM)
13	Central Machinery 13" Drill Press, 12" Dia. Table
14	JFT Bench Top Drill Press, 6-1/2" Throat, 9" x 9" Table, 1/2 HP
20	Hitachi C12RSH 12" Slide Compound Mitre Saw on Rolling Table w/Laser
21	Safety Speed Mfg. HS Vertical Panel Saw, S/N 72725 60" x 120" Capacity, Milwaukee 7-1/2" Circular Saw, Dust Collector
22	LOT: Safety Speed Mfg. Panel Saw, 4' x 10', Traveling Saw Carriage, Portable, Milwaukee 7-1/4" Circular Saw
23	LOT: Saw Trax Panel Saw 4' x 10', Makita 7-1/4" Circular Saw, Portable
24	XYZ 6010 CNC Router, S/N 3097, 84" x 144" T-Slotted Vacuum Table, Traveling Bridge Type, 24000-RPM Router Head, XYZ Touch Panel Control Pendant, Vacuum Pump
25	Gerber Sabre 408 CNC Router, S/N 860-573, 54" x 120" T-Slotted Vacuum Table, Traveling Bridge Type, 18000-RPM Router Head, Gerber Touch Panel Pendant Control, Vacuum Pump System
26	Lincoln Power Mig 225C Mig Welder, S/N UI060503654, 225-Amp, Cables, Torch, Internal Wire Feeder, Portable (2006)
27	LOT: Proweld CD-312 Stud Welder Power Source, S/N 05GI07-322272, Cables, Stud Gun, 4-Wheel 2-Shelf Metal Cart
28	Lincoln SP-135 Plus Mig Welder, S/N UI011015983, 135-Amp, Cables, Torch, Internal Wire Feeder, Portable (2011)
29	Lincoln Square Wave Tig 175 Tig Welder, S/N UI990051059, 175-Amp, Cables, Torch, Portable (1999)
30	Miller Maxstar 150STL Mig Welder, S/N JC30171J, 150-Amp, Cables, Torch, Internal Wire Feeder, Portable (1982)
31	Miller MPS-10AFT Resistance Spot Welder, S/N JC610971, 45-Amp, 20" Throat, 10-KVA (1982)
33	Falls Metal Products D-BUR-R 111 Deburring Machine, S/N 745, 1" x 36" Table, Fence, Rotary Wire Wheel, Full Enclosure, Mounted on Welded Steel Frame Chip Bin, Portable

34	Whitney-Jensen Mechanical C-Frame Press 18" Throat, 12" x 18" Bed, 5" x 10" Ram, Approx. 1.5" Stroke, Electric Motor Belt Driven Cam Activated, Mounted on Elevated Welded Steel Frame
35	National U4816 Hand Brake 48" Bed, 16-Gauge Mild Steel Max., Segmented Bend Dies, Hand Activated, Stand
36	Tennsmith H5216 Hydraulic Shear, 52" Bed, 16-Gage Mild Steel Capacity, Self Contained Hydraulic System, Foot Pedal Activated, S/N 05300
37	Gasparini PBS-CB45-1600 CNC Hydraulic Press Brake, S/N 1299-4174, 45-Ton, 66" Bed, Approx. 10" Stroke, Delem DA69 Touch Panel Control, Approx. 10" Stroke, Self Contained Hydraulic System, DSP Laser-RX-8200 Attachment, Foot Pedal Activated, 681518 Strokes, 2694 Hours Indicated (1999)
38	Ermak AP-12-176 Hydraulic Press Brake, S/N P-1926, 176-Ton, 148" Bed, NC Controller Back Gauge, Approx.18" Stroke, Self Contained 20-HP Hydraulic System, Ermak Touch Panel Control, Foot Pedal Activated (2005)
38A	LOT: Assorted Press Brake Tooling
39	Vytek LS-7610 CNC Laser Cutting Machine, S/N 1133, 72" x 120" Cutting Area, Traveling Bridge Type, 150-Watt Synrad Laser (2022); Chiller Unit; Vytek Pendant, Dell OptiPlex 380 PC Control, Bottom Side Table Exhaust, 5-HP Dayton Blower (2011)
42	2020 Epson F9470 Ink Jet Printer, S/N X722000146, 66" Max. Width, Reel Fed, Touch Panel Control, Portable
44	Epson Stylus Pro9900 InkJet Film Printer, S/N KJFEE013540, 44" Max. Width, Reel Fed, Touch Panel Control, Portable (2012)
45	2016 Epson Sure Color P9000 Ink Jet Film Printer, 44" Max. Width, Reel Fed, Touch Panel Control, Portable, X-Rite Spectra Proofer 44 /44 in Proofer Attachment, S/N VM7E003801
46	Epson Sure Color T3270 Ink Jet Printer, S/N U84E001158, 24" Max. Width, Reel Fed, Touch Pad Control, Catch Tray, Portable, Dell OptiPlex 9020 PC, 19" Flat Screen Monitor (HEAD NEEDS TO BE REPLACED)
49	GFI Magnum X61NK Formulation Dispenser 18-Position Ink Dispensing Carousel, PC Control System, View Sonic Screen, Self Contained Pneumatic Ram for Ink Discharge, Full Enclosure, Weigh Tronix 3006 Electronic Scale
50	Mimaki JV33-160 InkJet Film Printer, S/N K842D290, 60" Max. Width, Reel Fed, Touch Panel Control, Portable (2014) (REPORTED ONLY RUNNING AS 1/C UNITS CURRENTLY)
51	Mimaki JV33-160 InkJet Film Printer. S/N K842D293, 60" Max. Width, Reel Fed, Touch Panel Control, Portable (2014) (REPORTED ONLY RUNNING AS 1/C UNITS CURRENTLY)
52	2019 OKI C931E Color Printer Sheet Fed, Single 8.5" x 11" Paper Tray, Digital Readout Touch Panel Control, Printer Stand
52A	16' L x 5" W x 31" H Assembled Light Table
53	Dexter-Lawson Mfg. MCC110 Paper Cutter, S/N 20010J02, 110" Max. Width, 35" x 198" Air Table, Touch Panel Control, Light Curtain, Foot Pedal Activated (2000)
54	Svecia/Harlacher A.G. H41-3 Silk Screen Emulsion Coater, S/N 41-6308, Approx.103" x 175" Max. Screen Size, Double Side Vertical Travel, Touch Panel Control, Foot Pedal Activated, Approx. (20) Coating Trays (2000)
55	Douthitt OMV Silk Screen Exposure Unit, S/N 71438, 92" x 160" Max. Screen Size, Screen Frame Nest, Traveling Frame, Vacuum Seal, Welded Steel Frame Construction, Electric Motor Driven Rack and Pinion System, Floor Mounted; (2) Olec Corp. L-1252 Lamp Heads, S /N LTI-12199 and LTI-12329, Mounted on Elevated Welded Steel Frame, Portable; (3) Olec AL-53 Power Sources; Douthitt L1252 Lamp Power Source (2007)
56	Z-Printer 850REVB 3-D Printer, S/N 32227, 16" x 33" Powder Tray, Full Enclosure, Powder Recycling Station, 27" x 31" Down Draft Table, Partial Enclosure, Pull Out Powder Recovery Bin, Portable, 2-Bench 28" x 38" Down Draft Table, Back Splash
57	EFI Vutek GSLX3 Pro Ink Jet Printer, S/N 293007, 126" Max. Width, Reel or Sheet Fed, (2) 60" x 127" Infeed/Payoff Tables, EFI Control, UV Dryer, Top Side Exhaust (2015)
58	AGFA Graphics PT-R8600S Plate Setter Cell 32" x 45" Max. Plate Size, MA-L880011 Plate Auto Loader, S/N 10325; PT-R8600S Thermal Plate Recorder, S/N 912202; Plate Rite AM-M80001 Plate Conveyor, S/N 287 (2015); Glunz & Jenson Quartz 111-85 Plate Developer, S /N 93839-0140; Discharge Plate Conveyor with Plate Tray; Thermo Scientific Thermo Chill I Portable Chiller Unit, S/N 1111843401171110 (2007/2015)
59	Svecia/Harlacher A.G. SAM-X Inline Silk Screen Printing Press 62" x 84" Max. Print Size, 4-Color, Automatic Sheet Infeeder, 72" x 90" Vacuum Table Shuttle System, Svecia Touch Screen Controls, (4) Single Color Screen Print Modules, S/N's 82-15680, 82-15681, 82-15682, 82-15683, Touch Screen Controls, Overhead Traveling Flood Bar, Squeegee Dryer Module, End Exhaust, CG Automation UV Dryer Module, Side Exhaust, S/N 154-003; Svecia SAP-A Auto Payoff Stacker Module, Touch Screen Control, Overhead Mirrors, S/N 08-15654 (2000), Control Panels, Rex 400-KVA 3-Phase Transformer (2000)
60	SOLD - Komori Lithrone GL-640C Offset Printing Press, S/N GL6402121, 6 Color Plus Coater with UV Curing, 720mm x 1030mm Max. Sheet Size, 360mm x 520mm Min. Sheet Size, Auto Infeeder, 6-Color Stand; Komori Touch Screen Control Console Inspection Bench (2014)
61	Geo Knight Co. Inc. 931 Triton Flatbed Heated Platen Transfer Press, S/N GL6402121, 54" x 120" Heated Down Acting Platen, (2) 54" x 120" Shuttle Tables, Roller Track Mounted, Digital Readout Touch Panel Controls, Pneumatic Activated

62	J. Bobst & Fils, SA SP1080E Sheet Fed Die Cutting Press, S/N 63225, 180-Metric Tons, 30.75" x 42.5" Max. Size, 11.62" x 13.75" Min. Size, 4500-Sheets Per Hour, Auto Sheet Feeder, Electric Motor Belt Driven Mechanical Platens, Side Die Loading, Discharge to Stacking Station, Analog Controls, Operator Platform, Power Control Panel, Machine# 523819
63	J. Bobst & Fils, SA SP1080E Sheet Fed Die Cutting Press, S/N 79900, 180-Metric Tons, 30.75" x 42.5" Max. Size, 11.62" x 13.75" Min. Size, 4500-Sheets Per Hour, Auto Sheet Feeder, Electric Motor Belt Driven Mechanical Platens, Side Die Loading, Discharge to Stacking Station, Analog Controls, Operator Platform, Power Control Panel, Machine# 523905
64	Edward Segal, Inc. 83GW Mechanical Grommet Press, S/N 5227, C-Frame Type, Magazine Fed, Electric Motor Belt Driven, Foot Pedal Activated, Mounted on Elevated Welded Steel Frame, Portable
65	Edward Segal, Inc. 92GW Mechanical Grommet Press, S/N 1144, C-Frame Type, Magazine Fed, Electric Motor Belt Driven, Foot Pedal Activated, Mounted on Elevated Welded Steel Frame, Portable
66	Edward Segal, Inc. S-83GW Mechanical Grommet Press, S/N 1016, C-Frame Type, Magazine Fed, Electric Motor Belt Driven, Foot Pedal Activated, Mounted on Elevated Welded Steel Frame, Portable
67	Edward Segal, Inc./ PCI Group WTGT Mechanical Grommet Press, S/N 3618, C-Frame Type, Magazine Fed, Electric Motor Belt Driven, Foot Pedal Activated, Mounted on Elevated Welded Steel Frame, Portable (OUT OF ORDER)
68	Pace Pacer Label Web Printing /Converting Press, S/N 410321, 13" Max. Width, Power Infeed, 5-Color, (3) Edge Trim Stations, Final Die Cut Station, (4) Pickup Reels, Pay Off Reel, Analog Controls, Accuguide Web Guide Control, Exhaust System, FMS CMGX400INK Pump Control System
69	International Machine Products, Inc. 6001-M Label Web Printing/ Converting Press 8" Max. Width, 1-Color, Infeed Station, Die Cut Station, Pickup Reel, Payoff Reel, Durant Counter, Analog Controls, (2) Video Jet Excel Inkjet Printing Units, Remote Print Heads, SN 88D06001 and 88D05007
70	International Machine Products, Inc. 6003 Label Web Printing/ Converting Press, S/N 633KI5274C, 8" Max. Width, 3-Color, Infeed Station, Die Cut Station, Pickup Reel, (2) Payoff Reels, Digital Readout Control, Analog Control
71	International Machine Products, Inc. 6001-M Label Web Printing/ Converting Press, S/N 612K718691, 8" Max. Width, 1-Color, Infeed Station, Die Cut Station, Pickup Reel, Payoff Reel, Analog Control, Counter
72	8 Ft. Warehouse Ladder
73	Saber S-137 Paper Cutter, S/N 1SI3124, 40" x 133" Roller Ball Table, 54" Max. Width, Microcut Touch Screen Control, Light Curtains, Foot Pedal Activated, (2) 39-1/2" x 39-1/2" Roller Ball Air Blow Tables
74	LOT: Haire DC-II Flatbed Roller Die Cutter, S/N DCII-164, 100" x 80" Die Size Max., 125-FPM Max. Speed, (2) Shuttle Tables, Center Trunnion Mounted Roll Die, Digital Readout Control Printer
75	LOT: Standard Mechanical Die Cutting Press, S/N DX206497, 56" x 79" Max. Sheet Size, Booking Type Press, Electric Motor Belt Driven, Foot Pedal Activated, Control Panel, (2) 42" x 54" 3500 Lb. Max. Load Capacity Scissor Lift Tables, Electric Motor Driven, Foot Pedal Activated
77	Polar Mohr RA-4 Jogger Table, S/N 6982225, 35.5" x 45" Roller Ball Adjustable Height Table, Flip Up Side Fences, Analog Controls (1999)
78	Contech Compu-Sheeter CD-60 Converting Cutter, S/N CS281600392, 60" Max. Width, Single Boot Carriers, Tensioner, Contech Control, Down Acting; 4' x 12' Wood Frame Layout Table; 24" x 48" 1500 Lb. Max. Load Capacity Scissor Lift Table, Electric Motor Driven, Foot Pedal (1992)
79	Contech OS2-60 Converting Cutter, S/N OS16460-1086, 60" Max. Width, Single Boot Carriers, Tensioner, Allen Bradley Panel View 300 PLC Control, Down Acting; 4' x 30' Wood Frame Layout Table; 24" x 48" 1500 Lb. Max. Load Capacity Scissor Lift Table, Electric Motor Driven, Foot Pedal (1986)
80	Polar Mohr 145EL Mechanical Paper Cutter, S/N 2-66-2096, 57" Max. Width, 27" x 57" Roller Table, Micro Cut Control, Analog Controls, Side Discharge Table, Light Curtain, Foot Pedal Activated, 48" x 54" 3000 Lb. Max. Load Capacity Scissor Lift Table, Top Mounted Rotary Table Electric Motor Driven, Foot Pedal Activated
84	Miller Major Sheet Fed Die Cutting Press Converted Printing Press to Die Cut Press, S/N 6860, 27" x 41" Max. Sheet Size, Auto Sheet Feeder, Side Die Loading, Discharge to Stacking Station, Analog Controls, Electric Motor Belt Driven Mechanical Platens, Power Control Panels
85	Thompson/ National Press Company/ Reeves Mechanical Die Cut Press Book Type, S/N Clutch #24-9095, 32" x 44" Top Platen, 29" x 42" Bottom Platen, Minster Mechanical Electric Motor Belt Driven Clutch, Foot Pedal, Analog Controls (Not In Service)
86	D&K Custom Machine Design Acculam 3210 Automatic Laminating Machine, S/N 3210-18150, 32" x 36" Max. Size Sheet Feeder, Overhead Bolt Web Feeders, Side Nips, Discharge Rollers with Tensioner; Accu 1113210 Cutter Station, Belt Discharge onto Vibratory Stacking Tray, SN 3210-19150
87	Panotec E-Gluer III Gluing Machine, S/N 1510702, 54" Max. Width, Touch Panel Control, Robatech Concept BS/2 Hot Glue Unit, SN 6001786-001; Front Infeed Table, Rear Discharge, Portable (Not in Service), 2016 Pantech Packaging-Production Line, Model NEXTODE, 2.5 VS 10/10 6CL SBS, S/N 1610701 (2016)
87A	LOT: (1) Stack of 96" x 48" Cardboard Bales for Panotec Production Line
87B	LOT: (3) Stacks 43" x 48" Cardboard Bales for Panotec Production Line
87C	LOT: (3) Stacks 43" x 48" Cardboard Bales for Panotec Production Line, (4) Stacks 43" x 48" Cardboard Bales for Panotec Production Line

87D	LOT: (2) Stacks 28" x 48" Cardboard Bales for Panotec Production Line
88	Klieverik Oldenzaal GTC-3400 Calender Die Sublimation Transfer Machine, S/N 349, 130" Max. Width, Digital Readout Temperature Controls, Analog Controls, Infeed/Rewind/Payoff Spindles (2006)
91	Advanced Greig Laminators 64i Laminating Machine, S/N 1861, 64" Max. Width, Reel Fed, Analog Control, Digital Readout Temperature Controls, Foot Pedal Activated (2012)
92	Kansa Company KP-28 Padder Edge Gluing Machine, S/N 308, 9" x 20" 28-Station Carrousel, Glue Applicator Rolls, Wire Stopper, Analog Controls, Self Contained, Hot Glue System, Top Side Fume Exhaust, Bottom Side Discharge Tray (1984)
94	Albo Paper System PT1000AP Paper Pile Turner, S/N 52541000, 36" x 48" x 54" Jaw Opening, Hydraulic Clamp/Lift/Turn, Electric Motor Gear Box Chain Driven, Remote Analog Control Pedestal (1996)
95	GW /Guowang Machinery Group LT-2 Stack Lift Tray 33" x 50" Lift Tray, S/N 1193, Automatic Level Sensor, Self Contained Electric Motor Driven Hydraulic System (2015)
96	Converting Technology SR-60 Rewinder, S/N SR56600898, 60" Max. Width, Single Spindle, Tension Rolls, Touch Panel Controls, Portable; Remote Single Spindle Payoff Winder, Mounted on Welded Steel A-Frame, Portable
97	Potdevin Machine Co. Z-60 Stock Gluer/Slitter, S/N 14-1-101, 60" Wide, Adjustable Width, Knife Bar, Power Feed, Glue Pan, Electric Motor Gear Box Driven, Portable; W70 Rotary Press, 70" Max. Width, Electric Motor Gear Box Driven, Portable
98	Assembled 308 Slitter, S/N GII74, 72" Wide, Single Adjustable Knife, Electric Motor Gear Box Driven, Analog Controls
99	Assembled Rewind/Slitting Unit 14" Max. Width, Single Unwind Spindle, Slitting Station, (3) Spindle Rotary Turret Rewind Stations, Analog Controls
100	PIC Industries Rewind/Slitting Unit, S/N 0248, 16" Max. Width, Dual Unwind/Rewind Spindles, Slitting Station, Analog Controls
101	Pierce Equipment Sheet Stock Slitter 34" x 36" Infeed Table, Adjustable Fences, (6) Adjustable Knives, 34" x 38" Discharge Table, Adjustable Fences, Analog Controls
102	Assembled Silk Screen Stretching Table 122" x 187" Overall Size Table, Mounted on Welded Steel Frame, Pneumatic Manifold System, Analog Control, (45) Saati Top Ten Pneumatic Jaw Clamps, 10" Wide, Portable
103	LOT: Assembled Silk Screen Wash Bays 3' x 10' x 16' Composite Wash Bay, Portable, Star Electric Motor Driven Approx. 3000-PSI Portable Pressure Washer, Hose, Wand; Power Washer H2010 Electric Motor Driven Pressure Washer, Portable, Hose, Wand; Hydro Engine #HE43E Pressure Washer Unit, Electric Motor Driven, Hose Wand, Surge Tank, Detergent Injector Unit, Mounted on Welded Steel Frame
104	LOT: Hot Melt Technologies Bench Mark 205-LV Hot Glue Unit, S/N 4-173740-, Electric Hot Melt Glue Pot, Electric Motor Driven Pump, (2) Pistol Grip Glue Guns, 12' Lead; Rubbermaid 4-Wheel Plastic 2-Shelf Carts
105	2020 Shanklin/ Sealed Air Heat Shrink Line A27A Heat Sealer Wrapping Station, 17" Belt Conveyor, Heat Seal Station, 17" Belt Conveyor, Touch Panel Control, Digital Readout Temperature Control; T74 Heat Shrink Tunnel, 16" Channel Link Pass Thru Conveyor, 12" x 18" Tunnel Opening, Variable Speed, Digital Readout Temperature Control, SN T21011-01
106	2020 Straub T-646-43 Tape Application Machine, S/N 3372, 6" Thick x 46" Wide Max. Capacity, (4) Bridge Mounted Table Applicators, Head and Reel Fed, Adjustable Width, Staging Table, Power Roller Infeed, Rear Discharge Touch Panel Controls, All Mounted on Wood 4-Wheel Cart
107	Miller Weld Master T300 Edge Resistance Welder 30" Throat, Weld Rollers, 25-Amp, Delta Touch Screen Control, Portable (2014)
108	Shanklin A26A Shrink Wrapper Film Feeder, S/N A07116-01, 15" Belt Feeder into L-Bar Sealer, Side Discharge into Shrink Tunnel, Touch Panel Controls (2007)
109	Heat/Seal HDX250-RSMSXXXA Shrink Wrapping Unit, S/N AIA2179, 18.5" x 20" Sliding Wrap Table, L-Bar Seal Station, 9.5" x 17" x 30" Belt Fed Heat Shrink Tunnel, RS-5 PLUS Touch Panel Control, Mounted on Common Base, Portable (2016)
110	Heat/Seal S-3040HN Shrink Wrapper, S/N ZIA21595, Cell 38.5" Max. Width Power Film Unwinder, 33.5" x 39" Traveling Wrap Table, L-Bar Seal Station, 26" x 40" Plastic Link Conveyor; RS-5 Touch Panel Control (2015)
111	Mosca RO-M-P4 Plastic Strapping Machine, S/N 99371, 24" x 65" Roller Table, 39" x 49" Banding Opening, 360° Travel, Self Contained Band Feed System, Analog Controls, Foot Pedal Activated, Portable
112	Shanklin T6H Heat Shrink Tunnel, S/N T07284-01, 16" x 18" x 30" Tunnel, Belt Fed, Analog Controls (2007)
113	Clamco 820-944-000006 Heat Shrink Tunnel, S/N 93434/93435, 8" x 17" x 20" Belt Fed Tunnel, Analog Control Panel
114	Ranpak Corp. PadPak SR Cushioning System, Model MA-0060, S/N A1608206
118	LOT: 2020 Miller Weldmaster Corp Digitran Weld Seam Sewing Machine, S/N DIGIS-0920-4098-2, Durkopp Adler 827-260122 Dual Needle Sewing Machine, Erka Variocontrol 820 Touch Panel Control; Railing TGU-16-3 Upper Tape Feeder; Variable Speed, 22" x 42" Adjustable Height Table, Foot Pedal, (4) Spool Racks, Racing Tape Cut Off Attachment, Portable, SN 827204759; 20" x 13" Elevated Belt Conveyor, Variable Speed Electric Motor Gear Box Driven, Adjustable Height Aluminum Frame, Portable

119	Sailrite 111 Sewing Machine Single Needle, 10.5" Throat, 20" x 48" Table, Foot Pedals, (2) Spool Thread Stands, Work Light, 4' x 9' Wooden Layout Table
120	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
121	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
122	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
123	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
124	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
125	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
126	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
127	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
128	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
129	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
130	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
131	Singer 300W Sewing Machine Double Needle, 9.5" Throat, 20" x 48" Table, Foot Pedals, (4) Spool Thread Stands, Edge Tape Reel Stand, Edge Press Roller, 4' x 9' Wooden Layout Table
131A	LOT: (4) Sewing Machine Stations (CONDITIONS UNKNOWN)
131B	LOT: (3) Sewing Machine Stations (CONDITIONS UNKNOWN)
131C	LOT: Assorted Sewing Machine Spare Parts
132	Diamond/ Kutronic DKTR-176 Squeegee Grinder, S/N 0602-3-94, 84" Max. Length, Traveling Carriage, 3450-RPM Grinding Wheel Head, Analog Controls, Timer, Mounted on Welded Steel Frame
133	Muller RSM3200 Squeegee Sharpener, S/N 80.271.0989, 131" Max. Length, Traveling Carriage, Electric Motor Driven, 3450-RPM Grinding Head, Partial Enclosure, Analog Controls, Mounted on Welded Steel Frame
134	Superior Xtreme XM-12HS High Speed Friction Feeder, S/N 3120069, 12" x 12" Adjustable Magazine Feeder, Pickup Feeder Belt, Stacking Tray, Omron Digital Readout Control, Mounted on Adjustable Height Welded Steel Frame, Portable
135	Super Speed HyDrill Hydraulic Paper Drill Single Spindle, 24" x 32" Table, Adjustable Fences, Self Contained Electric Motor Belt Driven Hydraulic System, Foot Pedal Activated
136	Anderson & Vreeland Plate Developer 11.75" x 16.5" Plate Size, Top Side Open Tank, (3) UV Developing Drawers
137	Lawson Paper Drill with (3) Heads, S/N A4057
137A	Nygren Dahly Company Paper Drill Single Spindle, S/N K-4-869-H7-71, 21" x 26" Table, Adjustable Fences, Electric Motor Gear Box Driven, Foot Pedal Activated
138	Control Engineering LLC MPT-17 Film Bander, S/N 725, 10" x 17" Capacity, 360° Rotating Wrapper, Touch Screen Control, Foot Pedal, Portable (2016)
139	Eagle 2000B Stretch Wrapper 59" Dia. Rotary Table, S/N WR1501003, Fork Lift Ramp, 96" Tower, Vertical Travel Carriage, Touch Panel Control, Floor Mounted (2015)
140	Lantech Q-Series QXStretch Wrapper, S/N 000087, 65" Rotary Table with Fork Lift Ramp, 90" Tail Column, Vertical Traveling Roll Carriage, Touch Panel Control
140A	Lantech Lan-Wrapper Pallet Stretch Wrapper, S/N V-2466, w/Forklift Drive on Ramp, 60" Dia. (ALUM CREEK LOCATION)
141	Wesco 770 Lb. Capacity Hydraulic Lift Cart

142	LOT: (4) Hamilton 5-Drawer Blue Print Cabinets
143	LOT: (2) Metal, (2) Wood 5-Drawer Blue Print Cabinets
144	LOT: (4) Hamilton 5-Drawer Blue Print Cabinets, (1) 5-Drawer Blue Print Cabinet
145	Toyota 8FGU32 Fork Lift Truck 6,020 Lb. Max. Load Capacity, Overhead Guard, 3-Stage Mast, 187" Max. Lift Height, 42" Forks, 96" Extensions, Side Shifter, Solid Tires, LP Gas Engine, Approx. 5,513 Hours Indicated (2012)
147	Toyota 8FGCU25 Fork Lift Truck, S/N 44616, 4,800 Lb. Max. Load Capacity, Overhead Guard, 3-Stage Mast, 189" Max. Lift Height, 48" Forks, 84" Fork Extensions, Side Shifter, Solid Tires, LP Gas Engine, Approx. 10,954 Hours Indicated (2013) (NEEDS WHEEL BEARING)
148	Caterpillar CS000 Forklift Truck, S/N AT9003777, 4,750 Lb. Max. Load Capacity, Overhead Guard, 3-Stage Mast, 187" Max. Lift Height, 42" Forks, 60" Extensions, Side Shifter, Solid Tires, LP Gas Engine, Approx. 15,000 Hours Indicated (2006) (HYDRAULIC LEAK, NO BRAKES)
149	Caterpillar GC25 Fork Lift Truck, S/N 4EM05585, 4,700 Lb. Max. Load Capacity, Overhead Guard, 3-Stage Mast, 190" Max. Lift Height, 48" Forks, 84" Fork Extensions, Side Shifter, Solid Tires, LP Gas Engine, Approx. 14,599 Hours Indicated (1996)
150	Yale MRW020SAN12CE083 Fork Lift Truck, S/N N492576, 2,000 Lb. Max. Load Capacity, Self Propelled Walk Behind Type, 3-Stage Mast, 182" Max. Lift Height, 42" Extendable Forks, Battery Powered, Charger Unit, 2,520 Hours Indicated
151	Hyster SSOXL ForkLift Truck, S/N C187V08122R, 4,550 Lb. Max. Load Capacity, Overhead Guard, 3-Stage Mast, 189" Max. Lift Height, 42" Forks, Side Shifter, Solid Tires, LP Gas Engine, Approx. 49,800 Hours Indicated (1994) (NOT RUNNING, STARTER ISSUE)
152	Komatsu FG15ST15 Fork Lift Truck, S/N 362361A, 2,370 Lb. Max. Load Capacity, 3-Stage Mast, 188" Max. Lift Height, 42" Forks, Side Shifter, Solid Tires, LP Gas Engine, Approx. 27,000 Hours Indicated (1994) (HYDRAULIC LEAK)
153	International 4300SBA Dry Van Truck Single Axle, Day Cab, VIN: 1HTMMAAM67H495817, International DT-466 Diesel Engine, Automatic Transmission, Spring Suspension, 96" x 24' Aluminum Skin Dry Van Body, Roll Up Rear Door, 2,500 Lb. Max. Load Capacity Hydraulic Lift Gate, Average Tires, Approx. 259,000 Miles Indicated (2007)
154	Isuzu NPR Dry Van Truck Single Axle, Day Cab, VIN: 4KLB4B1R3XJ002786 V-8 Gas Engine, Automatic Transmission, Spring Suspension, 96" x 15' Dry Van Body, Roll Up Rear Door, Loading Ramp, Step Bumper, Average Tires, Approx. 145,000 Miles Indicated (1999) (RUNS, BAD EXHAUST, DEAD BATTERY)
154B	Volvo S60 T5, VIN YV1622FS4C2092144, 66,797 Miles Indicated
155	Ford F-450XL DumpTruck Single Axle, Crew Cab, VIN: 1FDXW46P24 EB82992, V-8 Diesel Engine, Automatic Transmission, A/C, Towing Package, Running Boards, 5-Cubic Yard Steel Dump Body, No Tailgate, No Tarp System, Snow Plow, Average Tires, Approx. 95,000 Miles Indicated (2004) (BAD ENGINE)
156	Ram 1500 PickupTruck Crew Cab, VIN: ID7RVICTOBS 666289, Short Bed, V-8 Hemi Gas Engine Powered, Automatic Transmission, 4x4, A/C, Cruise Control, Tilt Wheel, Towing Package, Tonneau Cover, Alloy Wheels, Average Tires, Approx. 435,000 Miles Indicated (2011) (BAD TRANSMISSION, NO KEY)
157	Chevrolet Silverado LS 2500 Pickup Truck, VIN: 1GCGK29U312278429, Extended Cab, Short Bed, V-8 Gas Engine, Automatic Transmission, 4x4, A/C, Cruise Control, Tilt Wheel, Towing Package, (2) Aluminum Side Bed Tool Boxes, Overhead Rack, Snow Plow, Alloy Wheels, Average Tires; Boss TGS Salt Spreader, Approx. 217,711 Miles Indicated (2001)
158	RPS Corp Floor Scrubber, S/N 48937, 36" Wide, Battery Powered Ride On Type, Charger Unit, 6,261 Hours Indicated
159	Bishamon Lift 2K 2,000 Lb. Capacity Hydraulic Lift Table
160	Yamaha YORE Golf Cart 2-Seater, Canopy, Jump Seat, Battery Powered, Flotation Tires (2007) (NEEDS BATTERIES)
161	Hustler Raptor 931899 Zero Turn Riding Mower, S/N 14114509, 52" Mid Mounted Deck, Kawasaki 23-HP Gas Engine Powered, Turf Tires (Average) (2014)
162	Generac Stand By Generator 30-kW, Natural Gas Fired, Full Enclosure (2013)
163	Prisco Tech Humidification System Approx. 100-Gallon Fiberglass Tank, Approx. 400-Gallon Poly Tank, (2) 50 Lb. Bead Media Filter Tanks, Flow Controls, Approx. 50-Gallon Poly Tank, Aqua-Flo II Touch Panel Control, Control Cabinet Mounted on Elevated Welded Steel Frame (Not in Service)
164	Atlas Copco GA45FF Rotary Screw Air Compressor, S/N AP1537344, 60-HP, 120-PSI, Elektronikon Graphic Touch Panel Control, Full Enclosure, Skid Mounted, 400-Gallon Receiver Tank (2012) (NON-OPERATIONAL)
165	Atlas Copco GA15FF Rotary Screw Air Compressor, S/N API317046, 20-HP, 129-PSI, Touch Panel Control, Full Enclosure, Skid Mounted, 240-Gallon Receiver Tank, Oil Separator, Approx. 64,396 Hours Indicated (2011)
166	5.0 HP Horizontal Air Compressor
167	Curtis R/S25A Rotary Screw Air Compressor, S/N 01F040006, 25-HP, 104-CFM, 125-PSI, 120-Gallon Horizontal Tank Mounted, Approx. 26,000 Hours Indicated

168	Castair 5 HP Horizontal Air Compressor, Model I538HC-1S-DZPM
172	Dayton 750 Lb. Capacity Hydraulic Platform Lifter, Model: 2MPU5
173	Assembled Cure Oven 42" x 42" x 46" Chamber, (2) Swing Out Front Doors, Electric Powered, Approx. 300° F. Max. Temperature, Analog Controls (Not in Service)
174	Spanco A-Frame Hoists, 1-Ton Capacity, 6' x 10' x 17' Overall Size, Single I-Beam Welded Steel Fame, 6" Casters; Dayton 1-Ton Electric Chain Hoist, 2-Way Pendant; 4' Spreader Bar with Hooks and Lift Straps
175	Spanco A-Frame Hoists, 1-Ton Capacity, 6' x 10' x 17' Overall Size, Single I-Beam Welded Steel Frame, 6" Casters; Dayton 1-Ton Electric Chain Hoist, 2-Way Pendant; 4' Spreader Bar with Hooks and Lift Straps
176	Foster Model 61612 Height Adjustable All-A Board Lifter, 500 Lb. Capacity, 42" Max Height
176A	Foster Model 61612 Height Adjustable All-A Board Lifter, 500 Lb. Capacity, 42" Max Height
177	Foster Model 61612 Height Adjustable All-A Board Lifter, 500 Lb. Capacity, 42" Max Height
178	Foster Model 61612 Height Adjustable All-A Board Lifter, 500 Lb. Capacity, 42" Max Height
179	Foster Model 61612 Height Adjustable All-A Board Lifter, 500 Lb. Capacity, 42" Max Height
180	LOT: (4) Sections Heavy Duty Tear Drop Pallet Racking, 12' H x 12' W x 8" D (NO CONTENTS)
181	LOT: (3) Sections Heavy Duty Tear Drop Pallet Racking, 12' H x 10' W x 4' D (NO CONTENTS)
182	LOT: (5) Sections Heavy Duty Tear Drop Pallet Racking, 16' H x 10' W x 36" D (NO CONTENTS)
183	LOT: (10) Sections Heavy Duty Tear Drop Pallet Racking, 16' H x 10' W x 36" D (NO CONTENTS)
184	LOT: (9) Sections Assorted Heavy Duty Tear Drop Pallet Racking (NO CONTENTS)
185	LOT: (5) Sections Heavy Duty Tear Drop Pallet Racking, 16' H x 10' W x 36" D (NO CONTENTS)
186	LOT: (52) 9' Pallet Rack Cross Bars, 9' H x 10' W x 2' D (NO CONTENTS)
187	(1) Section Heavy Duty Tear Drop Pallet Rack, 9' H x 10' W x 24" D (NO CONTENTS)
188	LOT: (1) Section Heavy Duty Pallet Racking, 9' H x 10' W x 36" D, (3) Sections Heavy Duty Racking 8' H x 8' W x 28" D
189	LOT: (7) Sections Heavy Duty Racks, 8' H x 8' W x 28" D
190	LOT: (5) Sections Heavy Duty Tear Drop Pallet Racking, 16' H x 10' W x 36" D
191	E-Z Lift 5,500 Lb. Capacity Short Fork Pallet Jack
192	Lift-Rite Narrow Pallet Jack
193	Wesco 3,000 Lb. Capacity Electric Narrow Pallet Jack (DEAD BATTERY)
194	E-Z-V Lift 5,500 Lb. Capacity Jack
195	Pallet Jack
196	Uline 5,500 Lb. Capacity Pallet Jack
197	Uline 5,500 Lb. Capacity Pallet Jack

198	E-Z-V Lift 5,500 Lb. Capacity Narrow Pallet Jack
199	E-Z-V Lift 5,500 Lb. Capacity Narrow Pallet Jack
200	Uline 5,500 Lb. Capacity Short Fork Pallet Jack
201	Uline H-11-93 5,500 Lb. Capacity Narrow Pallet Jack
202	Wesco 750 Lb. Capacity Manual Lift Cart
203	E-Z-V Lift 5,500 Lb. Capacity Narrow Pallet Jack
204	Clark HL10E 1,000 Kg. Capacity Electric Pallet Jack w//Duralast Battery Charger
205	Pallet Jack
206	LOT: Pallet of Uline 28" x 24" x 6" Cardboard Boxes
207	LOT: (2) Pallets of Tri-Fold Carton Cardboard Boxes (Approx. 250)
208	LOT: Assorted NEW & Used Flat Paper Stock on (6) Sections of Pallet Racking
209	LOT: (750 approx.) 46-5/8" x 31-5/8" x 7" Corrugated Cardboard Boxes on (6) Pallets, (46) 47" x 33" x 1.125" Cardboard Boxes on (2) Pallets (LOCATED IN ALUM CREEK BUILDING)
210	LOT: (1000 approx.) 46-5/8" x 31-5/8" x 7" Corrugated Cardboard Boxes on (8) Pallets (LOCATED IN ALUM CREEK BUILDING)
211	LOT: Large Quantity of Assorted Flat Paper Stock (LOCATED IN ALUM CREEK BUILDING)
212	LOT: Large Quantity of Assorted Flat Paper Stock (LOCATED IN ALUM CREEK BUILDING)
213	LOT: Large Quantity of Assorted Flat Paper Stock (LOCATED IN ALUM CREEK BUILDING)
214	LOT: Large Quantity of Assorted Flat Paper Stock (LOCATED IN ALUM CREEK BUILDING)
215	LOT: (375 approx.) 54" x 64" Bright White Vinyl Sheets on (5) Pallets, (150 approx.) 50" x 59" x 1-1/8" SP Tex White Vinyl Sheets on (2) Pallets, etc. (LOCATED IN ALUM CREEK BUILDING)
216	LOT: (20 approx.) Rolls of Assorted Roll Paper Stock (LOCATED IN ALUM CREEK BUILDING)
217	LOT: Large Quantity PETG 10mm Clear Plastic Sheets on (10) Pallets (ALUM CREEK LOCATION)
218	LOT: Large Quantity of Assorted Flat Paper Stock on (4) Sections of Pallet Racking (LOCATED IN ALUM CREEK BUILDING)
219	LOT: Large Quantity of Assorted Flat Paper Stock on (5) Sections of Pallet Racking (LOCATED IN ALUM CREEK BUILDING)
220	LOT: Large Quantity of Assorted Cardboard Boxes (LOCATED IN ALUM CREEK BUILDING)
221	LOT: Large Quantity of Assorted Cardboard Boxes (DOWN IN THE ROW OF PALLETS, LOCATED IN ALUM CREEK BUILDING)
222	LOT: (2750) Sheets of 48 x 96 Clear 4mm Coro on (10) Skids (DOWN IN THE ROW OF PALLETS, LOCATED IN ALUM CREEK BUILDING)
223	LOT: Large Quantity of Assorted Cardboard Boxes (DOWN IN THE ROW OF PALLETS, LOCATED IN ALUM CREEK BUILDING)
224	LOT: Large Quantity of Assorted Cardboard Boxes (DOWN IN THE ROW OF PALLETS, LOCATED IN ALUM CREEK BUILDING)
225	LOT: Primex CPS White 19809 Matte Styrene Sheets, .20 x 37 x 27 on (13) Skids

226	LOT: Assorted Gum Paper Rolls for Flexo Printing on (4) Pallets
227	LOT: (4) Rolls of NPS, 8 Pt. Rolls
228	LOT: (3) Alera Filing Cabinets, (6) 2-Drawer Filing Cabinets (NO CONTENTS)
229	LOT: Qspac 811C Self Wound Lamination Rolls, 5-7/8" W, 5000' L
230	LOT: Contents of Break Room: (5) Folding Tables, (14) Chairs, Frigidaire Refrigerator, Element TV
231	LOT: Wood Tables on Castors
232	LOT: (2) Buschman Roller Conveyors, 12' L x 16" W
233	LOT: (7) Wood Tables on Castors
234	LOT: (32) Stratis 40" x 29" Ribbed Top Blue Plastic Pallets
235	LOT: Assorted Gum Paper on (4) Pallets (ALUM CREEK LOCATION)
236	LOT: 6.0 Mil Gloss Embossed Vinyl Overlamine. 26" x 500', 3" Core, on Pallet (ALUM CREEK LOCATION)
237	LOT: 30" x 23" Contra Vision Window Film on Pallet (ALUM CREEK LOCATION)